

U.S. PATENT AND TRADEMARK OFFICE AMENDMENT TRANSMITTAL FORM

A42131 **Docket Number**

In re the Application of

Dale R. Sogge et al.

Serial No.:

10/736,956

Filed:

December 15, 2003

For:

MAGNETIC POSITION SENSOR APPARATUS AND METHOD

Art Unit:

2862

Examiner:

Kenneth Whittington

COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, VA 22313-1450

Sir:

Transmitted herewith is an amendment in the above-identified application.

The fee has been calculated as shown below:

| at this | correspondence | is | being | depo |
|---------|----------------|----|-------|------|

I hereby certify that osited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 today.

MAILING CERTIFICATE

Russell E. Baumann

| CLAIMS AS AMENDED | | | | | | | | |
|--|---|-------|---|------------------|-----------|-------------------|--|--|
| | CLAIMS REMAINING AFTER AMENDMENT | | HIGHEST NUMBER PREVIOUSLY PAID FOR | PRESENT EXTRA | RATE | ADDITIONAL FEE | | |
| Total Claims | 5 | Minus | 20 | = 0 | X \$ 50 = | \$ 0.00 | | |
| Independent Claims | 4 | Minus | 5 | = 0 | X \$200 = | \$ 0.00 | | |
| OTAL ADDITIONAL FEE FOR THIS AMOUNT \$ 0.00 | | | | | | | | |

Charge the total additional fee, and any further fees, or credit overpayment to Deposit Account No. 20-0670. Two duplicate copies of this sheet are enclosed.

Texas Instruments Incorporated 34 Forest Street, MS 20-21 Attleboro, MA 02703

Russell E. Baumann Attorney for Applicant Registration No. 27,418 (508) 236-3314 Customer No. 25946

N THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of:

Dale R. Sogge et al.

Serial No.:

10/736,956

Filed:

December 15, 2003

For:

MAGNETIC POSITION SENSOR APPARATUS AND METHOD

Art Unit:

2862

Examiner:

Kenneth Whittington

October 18, 2005

AMENDMENT AFTER FINAL REJECTION (116)

Mail Stop AF **Commissioner for Patents** P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

In response to the Office Action of August 30, 2005, please amend the aboveidentified application as follows: